

Receiving Report

Date: 17-02-13

Batch No: 136819

Supplier: KIX

Dart P/O: 35137

Packing Slip: Yes ☒ No ☐
 Invoice: Yes ☒ No ☐
 Receipt: Cash ☐ Cr ☒
 New Supplier Yes ☐ No ☒

Release Note Attached: Yes ☒ No ☐ N/A ☐
 Waybill Attached: Yes ☒ No ☐
 Shipment Complete: Yes ☐ No ☒ N/A ☒
 QC18 Inspection ☐ N/A ☒
 Work Order ☐ N/A ☒

Discrepancies

Part Number	Description	Quantity Ordered	Quantity Rec'd	Quantity Short	Quantity Inspected	Quantity Rejected	Comment / NCR Number

Initials of Receiver

QC12

SP

Production/Admin:

Date

Location

Received/Costing

Initial



Dart-Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO5137

Purchase Order Date 1/30/2017

PO Print Date 1/30/2017

Page Number 3 of 9

Order From :

KLX INC.
88289 EXPEDITE WAY
CHICAGO, IL 33172
USA

VU-KLX01

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

305-925-2600

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

FedEx Economy collect

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

USD

Destination-Collect

7 AN5-21A

Bolt

2/3/2017 FN

Yes

2/3/2017

55.00

Each

\$0.38

\$20.90

Line Total:

\$20.90

8 AN6-40A

3/8-24 Bolt X 3" Long

2/3/2017 FN

No

2/3/2017

24.00

Each

\$1.00

\$24.00

Line Total:

\$24.00

9 AN924-6J

NUT

2/3/2017

Yes

2/3/2017

12.00

Each

\$1.99

\$23.88

Line Total:

\$23.88

10 LN9038-05012

Bolt

2/3/2017 FN

Yes

2/3/2017

160.00

Each

\$1.07

\$171.20

Note:

1/30/2017

FEB 02 2017

SP17-02B



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PC35137**

Purchase Order Date 1/30/2017

PO Print Date 1/30/2017

Page Number 9 of 9

Order From :

VU-KLX01

Ship To : DART AEROSPACE LTD

KLX INC.
88289 EXPEDITE WAY
CHICAGO, IL 33172
USA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone 305-925-2600

Ship To Contact

Ship To Phone

Ship Via: FedEx Economy collect

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax # 10127-2607

Terms

Net 30

Currency

USD

FOB

Destination-Collect

28 71401-45

PROCUREMENT
QUALITY CLAUSES

2/3/2017

1.00

\$0.00

\$0.00

No

2/3/2017

Procurement Quality Clauses

A005 RIGHT OF ENTRY
A012 CHEMICAL AND PHYSICAL TEST REPORTS
A016 PERSONNEL QUALIFICATION
A026 CERTIFICATION OF MATERIAL CONFORMANCE
A032 PUBLIC LAW 101-592 FASTENER QUALITY ACT
A033 STATEMENT OF CONFORMITY/TEST RECORDS
FOR NAS, AN and MS FASTENERS
A040 NOTIFICATION OF QUALITY ESCAPE
A041 QUALITY MANAGEMENT SYSTEM
A043 RETENTION OF QUALITY DOCUMENT

8217-027

Line Total:

\$0.00

PO Total:

\$2,146.99

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 2

Change Date: 1/30/2017



Tel: +1.305.925.2600 • Fax: +1.305.507.7191 • www.KLXAerospace.com
Remit to Address: 88289 Expedite Way, Chicago, IL 60695-0001
Wire Instructions: KLX Inc. • JPMorgan Chase Bank New York
ABA: 021000021 • Account: 304639273 • SWIFT: CHASUS33 • CHIP UID: 0002

INVOICE NUMBER

J8SBV7

PAGE 1 OF 2

SOLD TO:

002409
DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY, ON
CANADA K6A 1K7



SHIP TO:

DART AEROSPACE LTD
1270 ABERDEEN ST
HAWKESBURY, ON
CANADA K6A 1K7

ORDER NO. PO35137		DATE 02/01/17	SHIP VIA FEDX INTL ECON COLL		TERMS NET 30		SHIPPING TERMS EXW-BURGESS HIL	
ITEM NO.	QUANTITY ORDERED	PART NUMBER AND DESCRIPTION		PRICE	UNIT	BACK ORDER	SHIPPED	AMOUNT
10	160	LN9038-05012 TARIFF: 73181595 Description BOLT ECCN :EURNL MFR: AHG ATELIERS HAUTE CTRL#: 2014G06108 LOT#: 291280 P001 F002 LOT QTY: 160 Country of Origin FRANCE Export Supply 0% VAT according to Art 146 (1) (a), EU VAT Directive 2006/112/EC Ultimate Destination DART AEROSPACE LTD 1270 ABERDEEN ST HAWKESBURY ON K6A 1K7 CANADA		1.070	EA	0	160	171.20
CONTINUED								
MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY KLX INC.								

ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE.

SHIPPED FROM: KLX INC., CHARLES AVENUE, BURGESS HILL, WEST SUSSEX RH15 9UF, UK

MATERIAL CERTIFICATION: KLX INC. ("KLX AEROSPACE SOLUTIONS") WARRANTS THAT THE ITEMS SUBJECT OF THIS INVOICE WILL BE FREE FROM DEFECTS OF MATERIAL AND WORKMANSHIP AND, AS SET FORTH ON THE MATERIAL CERTIFICATION FORM ACCOMPANYING THE ITEMS SUBJECT OF THIS INVOICE, ARE IN CONFORMITY WITH ALL CURRENT GOVERNMENTAL REQUIREMENTS AND THE SPECIFICATIONS OF THE RESPECTIVE MANUFACTURERS. KLX AEROSPACE SOLUTIONS DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ALL WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE. THE LIABILITY OF KLX AEROSPACE SOLUTIONS IS EXPRESSLY LIMITED EXCLUSIVELY TO REPLACEMENT BECAUSE OF A DEFECT IN MATERIAL OR WORKMANSHIP SUCH REPLACEMENT SHALL OF ANY ITEM WHICH IS REJECTED CONSTITUTE SATISFACTION OF ALL LIABILITY KLX AEROSPACE SOLUTIONS MAY HAVE IN CONNECTION WITH SUCH ITEM, WHETHER LIABILITY IS BASED UPON CONTRACT RIGHTS, NEGLIGENCE, OR OTHERWISE, AND IN NO EVENT SHALL KLX AEROSPACE SOLUTIONS BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES. FURTHER, KLX AEROSPACE SOLUTIONS MUST BE NOTIFIED OF A REJECTION OF AN ITEM WITHIN 30 DAYS AFTER RECEIPT BY THE CUSTOMER.

PACKING SLIP

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS PACKING SLIP, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT:
<http://www.KLXAerospace.com/conditions-sale/>



KLX

Tel: +1.305.925.2600 • Fax: +1.305.507.7191 • www.KLXaerospace.com
 Remit to Address: 88289 Expedite Way, Chicago, IL 60695-0001
 Wire Instructions: KLX Inc. • JPMorgan Chase Bank New York
 ABA: 021000021 • Account: 304639273 • SWIFT: CHASUS33 • CHIP UID: 0002

INVOICE NUMBER

J8SBV7

PAGE 2 OF 2

SOLD TO:

002409
 DART AEROSPACE LTD
 1270 ABERDEEN ST
 HAWKESBURY, ON
 CANADA K6A 1K7



SHIP TO:

DART AEROSPACE LTD
 1270 ABERDEEN ST
 HAWKESBURY, ON
 CANADA K6A 1K7

ORDER NO. PO35137		DATE 02/01/17	SHIP VIA FEDX INTL ECON COLL		TERMS NET 30	SHIPPING TERMS EXW-BURGESS HIL	
ITEM NO.	QUANTITY ORDERED	PART NUMBER AND DESCRIPTION		PRICE	UNIT	BACK ORDER	SHIPPED
		# 1=CTN 1.00 Lb / 0.45 Kg FREIGHT ACCT# 15179324-0 TEL# 613-632-3336 DIMENSIONS: Lg BagXX					
INVOICE#..... J8SBV7						SUBTOTAL : 171.20	
ORDER#..... ANE530						HANDLING : 0.00	
* CUST VAT						DISC/ALL : 0.00	
* KLX VAT GB 202 3356 57						INCM FRT : 0.00	
NBP RATIO AS OF 01/31/2017: 0.7951						FREIGHT : 0.00	
NET Amount GBP: 136.12						TOTAL : 171.20USD	
VAT Amount GBP: 0.00						U.S. CURRENCY	
TOTAL AMOUNT GBP: 136.12							
fox	ANE530	SHIPPED ON 02/01/17					

887-02-13

MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY KLX INC.

ALL ITEMS ARE SUBJECT TO A 100% RESTOCKING CHARGE.

SHIPPED FROM: KLX INC., CHARLES AVENUE, BURGESS HILL, WEST SUSSEX RH15 9UF, UK

MATERIAL CERTIFICATION: KLX INC. ("KLX AEROSPACE SOLUTIONS") WARRANTS THAT THE ITEMS SUBJECT OF THIS INVOICE WILL BE FREE FROM DEFECTS OF MATERIAL AND WORKMANSHIP AND, AS SET FORTH ON THE MATERIAL CERTIFICATION FORM ACCOMPANYING THE ITEMS SUBJECT OF THIS INVOICE, ARE IN CONFORMITY WITH ALL CURRENT GOVERNMENTAL REQUIREMENTS AND THE SPECIFICATIONS OF THE RESPECTIVE MANUFACTURERS. KLX AEROSPACE SOLUTIONS DISCLAIMS ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING ALL WARRANTIES OF MERCHANTABILITY AND OF FITNESS FOR A PARTICULAR PURPOSE. THE LIABILITY OF KLX AEROSPACE SOLUTIONS IS EXPRESSLY LIMITED EXCLUSIVELY TO REPLACEMENT BECAUSE OF A DEFECT IN MATERIAL OR WORKMANSHIP SUCH REPLACEMENT SHALL OF ANY ITEM WHICH IS REJECTED CONSTITUTE SATISFACTION OF ALL LIABILITY KLX AEROSPACE SOLUTIONS MAY HAVE IN CONNECTION WITH SUCH ITEM, WHETHER LIABILITY IS BASED UPON CONTRACT RIGHTS, NEGLIGENCE, OR OTHERWISE, AND IN NO EVENT SHALL KLX AEROSPACE SOLUTIONS BE LIABLE FOR SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES. FURTHER, KLX AEROSPACE SOLUTIONS MUST BE NOTIFIED OF A REJECTION OF AN ITEM WITHIN 30 DAYS AFTER RECEIPT BY THE CUSTOMER.

PACKING SLIP

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS PACKING SLIP, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT:
<http://www.KLXaerospace.com/conditions-sale/>





Tel: +1.305.925.2600 • Fax: +1.305.507.7191 • www.KLXaerospace.com
 Remit to Address: 88289 Expedite Way, Chicago, IL 60695-0001
 Wire Instructions: KLX Inc. • JPMorgan Chase Bank New York
 ABA: 021000021 • Account: 304639273 • SWIFT: CHASUS33 • CHIP UID: 0002

INVOICE NUMBER

J8SBV7

PAGE 1 OF 2



SOLD TO:

002409
 DART AEROSPACE LTD
 1270 ABERDEEN ST
 HAWKESBURY, ON
 CANADA K6A 1K7

SHIP TO:

DART AEROSPACE LTD
 1270 ABERDEEN ST
 HAWKESBURY, ON
 CANADA K6A 1K7

ORDER NO. PO35137		DATE 02/01/17	SHIP VIA FEDX INTL ECON COLL	TERMS NET 30		SHIPPING TERMS EXW-BURGESS HILL		
ITEM NO.	QUANTITY ORDERED	PART NUMBER AND DESCRIPTION		PRICE	UNIT	BACK ORDER	SHIPPED	AMOUNT
10	160	LN9038-05012 BOLT ECCN :EURNL Country Origin: FRANCE TARIFF: 73181595 MFR: AHG ATELIERS HAUTE CTRL# : 2014G06108 LOT# : 291280 P001 F002 LOT QTY: 160		1.070	EA	0	160	171.20
Export Supply 0%		VAT according to Art 146 (1)		(a), EU VAT Directive 2006/112/EC				
		Ultimate Destination DART AEROSPACE LTD 1270 ABERDEEN ST HAWKESBURY ON K6A 1K7 CANADA		SP17-0213				
# 1=CTN		1.00 Lb / 0.45 Kg						
FREIGHT ACCT# 15179324-0				***CONTINUED***				
MATERIAL TO BE RETURNED MUST HAVE PRIOR AUTHORIZATION BY KLX INC.								

SHIPPED FROM: KLX INC., CHARLES AVENUE, BURGESS HILL, WEST SUSSEX RH15 9UF, UK
 VAT REGISTERED ADDRESS: KLX INC 10000 N.W. 15TH TERRACE, MIAMI, FL 33172

ORIGINAL INVOICE

BY RECEIVING DELIVERY OF THE ITEMS COVERED BY THIS INVOICE, BUYER AGREES TO THE TERMS AND CONDITIONS OF SALE AT:
<http://www.KLXaerospace.com/conditions-sale/>



P.O. Box 025263, Miami, FL 33102-5263 • Tel: 305.925.2600 • Fax: 305.507.7191
Plant Location: 10000 N.W. 15th Terrace, Miami, FL 33172 • SITA: MIAMMCR
www.KLXaerospace.com

Shipped From: KLX INC., CHARLES AVENUE, BURGESS HILL, WEST SUSSEX RH15 9UF, UK


Material Certification

The items set forth on the purchase order referred to below have been visually inspected and the dimensions thereof have been measured by us, and based on the aforesaid, as well as the representation made to us by the manufacturers of the items subject of such purchase order, we hereby certify that such items are in conformity with all current governmental and manufacturer's requirements, specifications, drawings, and conform to the purchase order requirements. Said items are in new condition and have not been obtained from any U.S. Government or Military source and are traceable to KLX Aerospace Solutions.

FIRM: DART AEROSPACE LTD

PURCHASE ORDER#: PO35137

LNE#	QUANTITY	U/M	PART-NUMBER	CUST REF#	LOT-NUMBER	MANUFACTURER	CCODE	MFR DTE	EXP DATE
10	160	EA	LN9038-05012		291280 P001 F002	AHG ATELIERS HAUTE	F0095		


Jason Lewis
Senior Director, Global Quality

02/01/17



ATELIERS DE LA HAUTE-GARONNE

Ets AURIOL & Cie - S.A. au capital de 201850 EUR - Z.I. de FLOURENS BP73103 26 route de Lasbordes - 31130 FLOURENS (FRANCE)
Tél. (33) 5 61 83 60 35 - Fax (33) 5 61 83 95 05 - RCS TOULOUSE B 550 800 528 - SIRET 550 800 528 00014 - APE 2593Z

CERTIFICATE of CONFORMITY and TEST REPORT N° A594377

of 23 JUN 2014

ALEX Le 24/06/2014

ACCORDING TO NF L00-15C AND EN10204 TYPE 3.1

Page 1/ 2

Your P.O. nb. : OXAL63 MLG3	of : 24 MAR 2014	Supplier number :
N° ack. : 291280	of : 24 MAR 2014	
Shipment to : (or notify party) B/E BURGESS HILL CHARLES AVENUE		
RH15 9UF BURGESS HILL GREAT BRITAIN		

ITEM	ORDERED	PART NUMBER	SHIPPED
1	6100 PCE	LN9038 - 05 012 vis TH toute filetee Acier 35NC6 cadmiée 5à9µ 35NC6	5819 PCE 34.072 Lb. **
Your Item : 1		marked Cadm.dichrom.coated	roll sorting
Technical spec :	DIN65149=dia<5/LN65010>=5		Coating per : cadm. cyanide 5-9µ EN2133
Lot nb	291280 P001 F002	Qty.: 5819 PCE	AHG Wire lot nb.: 204394
	NATO Cod : F0095	Origin: France	Original lot control N°286367 P002- F002
	Manufacture heading date:24 DEC 2013	Material Producer :BE	Coating date : 20 JUN 2014
		Mini	Maxi
Adherence/Adhesion Test	Conf=0 / Non Conf=1	0.0000	0.0000
Decarburation depth 08-509MO	Tete sauf sous tete autres zones	0.0000 0.0000	0.0000 0.0000
Durete/Hardness 08-146MO	Dureté/Hardness	269.0000	297.7000
	Dureté/Hardness	269.0000	298.7600
	Dureté/Hardness	269.0000	297.7000
	Dureté/Hardness	269.0000	296.1100
	Dureté/Hardness	269.0000	297.6600
Grain Flow conformity 08-400MO	Conforme O/N	Conf=0 & Non conf=1 mesure centre/sstête	0.0000 0.6000
Microstructure Conformity	Conforme O/N	Conf=0 & Non conf=1	0.0000
Proof Load Test 08-523MO		D charge/Proof Load	950.0000
		D charge/Proof Load	950.0000
Proof Load Test Déformat		Déformation/Set	12.5000
		Déformation/Set	12.5000

This test report shall not be reproduced, in part or in full, without the written permission of AHG.
Any alteration, forgery or fraudulent report will be punishable by the French Law.

Item 1 to be continued

./..



ATELIERS DE LA HAUTE-GARONNE

Ets AURIOL & Cie - S.A. au capital de 201850 EUR - Z.I. de FLOURENS BP73103 26 route de Lasbordes - 31130 FLOURENS (FRANCE) -
Tél. (33) 5 61 83 60 35 - Fax (33) 5 61 83 95 05 - RCS TOULOUSE B 550 800 528 - SIRET 550 800 528 00014 - APE 2593Z

CERTIFICATE of CONFORMITY and TEST REPORT N° A594377

of 23 JUN 2014

ALEX Le 24/06/2014

ACCORDING TO NF L 00-15C AND EN10204 TYPE 3.1

Page 2/ 2

Your P.O. nb. :	OXAL63 MLG3	of : 24 MAR 2014	Supplier number :
N° ack. :	291280	of : 24 MAR 2014	

ITEM	ORDERED	PART NUMBER	SHIPPED
------	---------	-------------	---------

Item 1 Continuation LN9038 - 05 012

Ressuage/Fluorescent Penetrant	Conf=0 & Non conf=1	0.0000	0.0000	592
	Nb pièces testées		592.0000	
Traction/Tensile 08-403MO	D Traction/Tensile	1280.0000	1388.6809	DaN 2
	vitesse/load rate	12.6000	15.4000 13.6977	
	D Traction/Tensile	1280.0000	1400.6517	DaN
	vitesse/load rate	12.6000	15.4000 13.7657	
Oblique Tensile test	D Traction/Tensile	1280.0000	1352.7701	DaN 2
	vitesse/load rate	12.6000	15.4000 14.7048	
	D Traction/Tensile	1280.0000	1373.3473	DaN
	vitesse/load rate	12.6000	15.4000 15.3022	

C	CR	CU	MN	NI	P	S	SI			FE
0,35800	1,00100	0,18400	0,82000	1,38900	0,01200	0,00700	0,28900			BALANCE

OUR AIRBUS SAS APPROVAL NUMBER IS : 30030 of 31 August 2007
OUR BAE SYSTEMS APPROVAL LETTER REFERENCE IS : ACO/A/LT/JJH/3035

This test report shall not be reproduced, in part or in full, without the written permission of AHG.
Any alteration, forgery or fraudulent report will be punishable by the French Law.

Parts manufactured by AHG and delivered under this CofC are DFARS compliant per DFAR 252.225-7009


We hereby declare, subject to exceptions, reservations, or concessions listed in this statement of conformity, that the listed supplies comply with the contract requirements and that, after completion of testing and verification, they satisfy in every respect all specified requirements and applicable standards and regulations.

SUPPLIER'S INSPECTION 23 JUN 2014

NAME AND FUNCTION

Gilles GUISSSET CTLF Chef Service Contrôle

Computer controlled signature



** Estimated quantity

--- TRUE COPY CERTIFICATION ---

**CERTIFICAT DE RECEPTION TYPE 3.1**

Conforme à la EN 10204

N° Certificat : 1

INSPECTION CERTIFICATE - TYPE 3.1

Conforms to EN 10204

N° Lot : 60967/0

N° de Commande : 118578MPVI

Purchase Order N°

N° Bon de Livraison :

Delivery Note N° :

Date : 17/06/13

Référence Client : 01023135-0440

Customer Reference :

Poids : 1967 KG

Weight :

Désignation Produit : Fil tréfilé 4.40 mm(+/- 0.02)

Product ordered : Etat recuit

revêtement phosphaté

Client : ATELIERS DE LA HTE GARONNE

Customer :

26 ROUTE DE LASBORDES

ZI DE FLOURENS

31130 FLOURENS

FRANCE

35NC6

Spécifications : Cahier des charges 02-286/CC

Specifications : + Cahier des charges SM-35 indice B

Capable de :

Capable of :

Analyse chimique / Chemical analysis - % masse / % weight

N° Coulée :

Heat N° :

065316

A/	C	Cr	Cu	Fe	Mn	Mo	Ni	P	S	Si
0.025	0.358	1.001	0.184	BALANCE	0.82	0.0512	1.389	0.012	0.007	0.289

N° certificat

Orig. mill N° :

2272619/02

PROPRIETES MECANQUES / MECHANICAL PROPERTIES

Etat métallurgique / Metallurgical condition

ESSAI DE TRACTION / TENSILE TEST

Taille grain /

Dureté /

0 (°C)

Rm (Mpa)

Rp0.2% (Mpa)

A%

Z%

Grain size

Hardness

Etat de livraison / As shipped properties

TA

925.0

834

15.0

9

180

HB

Etat de référence 1 / Capability condition 1
850°C/30MIN/HUILE+575°C/1/AIR

TA

925.0

834

15.0

9

288

HB

Fluage / Stress rupture

Mpa

h

Etat de référence 2 / Capability condition 2

TA

925.0

834

15.0

9

288

HB

Fluage / Stress rupture

Mpa

h

Etat de référence 3 / Capability condition 3

TA

925.0

834

15.0

9

288

HB

Fluage / Stress rupture

Mpa

h

AUTRES CONTRÔLES / OTHER INSPECTIONS :

Etat de surface / Surface condition : SATISFAISANT

Contrôle dimensionnel / Dimensional inspection : 4.40 mm +/-0.02

ELABORATION ASCOMETAL

CONTROLE U.S SUR BILLETTE

RESILIENCE KCU SUR 1/2 PRODUIT 10.2 DAJ/CM2

Référence des dérogations / Concessions list :

Nous déclarons que sauf exceptions ou dérogations énumérées ci-dessus, la fourniture citée a été fabriquée conformément aux spécifications techniques du marché, commande, ou sous-commande du Client, et que toutes opérations de contrôle et essais effectués, elle répond sous tous ses aspects, aux spécifications particulières, aux plans, ainsi qu'aux normes en vigueur s'y rapportant.

We declare that unless otherwise stated, the above described products have been manufactured, tested and inspected in accordance with the technical specification of the contract, order or subcontract applicable thereto and conforms fully to the special requirements, drawings and standards quoted hereon.

Le signataire habilité :

The authorised signatory :

Date édition : 15/07/2013

C FERRAGUTI
Agent de certification



Usine de FOS SUR MER
Boite Postale 40030
13771 Fos-sur-Mer cedex

Téléphone : 04 42 47 93 00
Télécopie : 04 42 05 45 01

CERTIFICAT DE RECEPTION

03/06/2013

COMMANDE N° 2589610

CODE FC33

V/REF : 5151
YOUR ORDER/INRE SEITEN

DU : 26/09/2012
DATE/DATUM

APPAIRE SUIVIE PAR : DVF SUD CLI

DESTINATAIRE DOCUMENT :
DOCUMENT FOR/ENFFANGER

YOUR CONTACT IS/BEARBEITER

N/REFERENCE : 2272619 / 02

ASCOMETAL ORDER/WERKSBESTELLUNG

N° AVIS D'EXPEDITION : 2013008033 MASSE : 4255

ADVICE NOTE NO./LIEFERUNG

N° DE LOT : P 2589610

WORKS ORDER NUMBER/REFERENZ WERK FOL

COULEE : 065316

NUANCE : 35NC6

CAST/SCHMELZE

GRADE/WERKSTOFF

PRODUITS : 35NC6 FILSMACH. 0008,000 MM BRUT.LAMIN REC.GLOBUL DECAP.SEUL

PRODUCT DESCRIPTION/SPEZIFIKATION

SPECIFICATION : AIR 9160 C/EN2436/LOFC 55D

SPECIFICATION/EXEKTIVATION : CLASSE 2 AIR 0819+MBE 00

IND : SANS

DATE : 00/00/2000

RECEPTION :
REWEENTWURF

DATED/DATUM

ANALYSE : (M %)

LADLE ANALYSIS/SCHNELZENANALYSE

CODE	ELEMENT		C	SI	MN	NI	CR	MO	CU	S	P	AL
MINI	SPEC MIN	MINI	0,100	0,100	0,600	1,200	0,050					
VALEUR	ACTUAL	WERTE	0,358	0,289	0,820	1,389	1,001	0,0512	0,384	0,0070	0,012	0,025
MAXI	SPEC MAX	MAXI	0,370	0,400	0,900	1,600	1,100			0,0200	0,025	

COMMENTAIRES

COMMENTS/ANMERKUNGEN

KLARFAPTION FOUR ELECTRIQUE VOIE LINGOTE DEGAZE SOUS VIDE

ESSAI JOMINY

: (MM / NRC / 850° C)

JOMINY TEST/HABERTRASKEIT ERGEBNISSE

DISTANCE	DISTANCE	ABSTAND	5,0	9,0	15,0	25,0	40,3
MINI	SPEC MIN	MINI	49,0	48,0	44,0	40,0	35,3
VALEUR	ACTUAL	WERTE	54,6	53,8	51,5	46,4	42,4
MAXI	SPEC MAX	MAXI	50,0	57,0	55,0	53,0	50,0

CARACTERISTIQUES MECANQUES DE COULEE

: MEAT MECHANICAL PROPERTIES ON TEST COUPON/SCHNELZEN MECHANISCHE EIGENSCHAFTEN

TRAITEMENT TREATMENT/SCHLIFSTRIKKEIT

TREMPER : MUELE

TEMPERATURE : 850 ° C

REVENTU : 975 ° C

DUREE : 0,5

QUENCHING/ABSCHRECKHARTEN

TEMPERATURE/TEMPERATUR

TEMPERED/VERHUTET

TIME/Dauer

TRACTION TENSILE/SUGFESTIGKEIT

DIAMETRE DIAMETER/DIAMETER

10,0

RM N/MM2

RE N/MM2

A 1

MINI	SPEC MIN	MINI	650,0	740,0
VALEUR	ACTUAL	WERTE	1064,0	997,0
MAXI	SPEC MAX	MAXI	1080,0	15,0

RESILIENCE

LONG

IMPACT TEST

TEMP

MIN

MAX

VAL

UNITE

LANGS

RCU

7,0

10,2 DAT/CH2

CARACTERISTIQUES DE LIVRAISON

PROPERTIES IN SUPPLY CONDITION

TRACTION TENSILE/SUGFESTIGKEIT

RM N/MM2

MINI	SPEC MIN	MINI	
VALEUR	ACTUAL	WERTE	637
MAXI	SPEC MAX	MAXI	650

Noter : certifier que les produits ci-dessus sont conformes aux prescriptions de la norme EN 10028-2 (septembre 2000) et respectent la directive européenne 2001/53/CE du 18 septembre 2000. Les produits en acier sont inspectés et nous garantissons que les produits livrés sont exempts de toute pollution radioactive. Wir bestätigen, dass die obigen genannten Erzeugnisse den Beschaffenheitsanforderungen der EN 10028-2 (September 2000) entsprechen. Alle in diesen Stahlwerken hergestellten Schmelzen werden kontrolliert, so dass die gelieferten Produkte keine Radioaktivität aufweisen, die höher ist als die natürliche Strahlung der Umwelt. Die Produkte sind frei von jeglicher radioaktiver Kontamination.

S.A.S au capital de 65 285 430 Euros - RCS Nanterre : B 331 048 132 Siret : 331 048 132 00020 - Code NAF : 2410Z
Siège Social : Immeuble la Colisée 8, avenue de l'Arche-faubourg de l'Arche 92419 Courbovoie cedex



Usine de FOS SUR MER
Boite Postale 40030
13771 Fos-sur-Mer cedex

Téléphone : 04 42 47 93 00
Télécopie : 04 42 05 45 01

CERTIFICAT DE RECEPTION

03/06/2013

COMMANDE N° 2589610

CODE FC33

V/REF : 5151
YOUR ORDER/INRE BRICH

DU : 26/09/2012
DATE/DATUM

AFFAIRE SUIVIE PAR : DVP SUD CLI

YOUR CONTACT IS/BEARBEITER

N/REFERENCE : 2272619 / 02

ASCOMETAL ORDER/WERKSTELLUNG

N° AVIS D'EXPEDITION : 2013008033 MASSE : 4255

ADVICE NOTE NO./BIRFEKUNG

N° DE LOT : F 2589610

WORKS ORDER NUMBER/REFERENZ WERK FOS

COULEE : 065316

CAST/SCHMELZE

NUANCE : 35NC6

GRADE/WERKSTOFF

PRODUITS : 35NC6 PILSMACH. 0008,000 MM BRUT.LAMIN REC.GLOBUL DECAP.SEUL

PRODUCT DESCRIPTION/SPEZIFIKATION

SPECIFICATION : AIR 9160 C/EN2438/LOFC 55D

SPECIFICATION/SPEZIFIKATION : CLASSE 2 AIR 0819+MBE 00

DESTINATAIRE DOCUMENT :
DOCUMENT FOR/EMPFANGER

BROWN EUROPE SAS

LAVAL DE CERE
46130 LAVAL DE CERE
FRANCE

IND : SANS

REV/ENTWURF

RECEPTION :

DATE : 00/00/2000

DATE/DATUM

INFORMATIONS COMPLEMENTAIRES

ADDITIONAL INFORMATION

CONTROLE ULTRA-SONS

ULTRASONIC EXAMINATION

ULTRASCHALL PRUFUNG

NORME

ASCOMETAL

RESULTATS

100% CONFORME

CONTROLE MAGNETOSCOPIE

MAGNETIC PARTICLE INSP

MAGNETOSKOPISCHE PRUFUNG AIR 0819 CLASSE 2

CONFORME

CONTROLE TAILLE GRAIN

GRAIN SIZE

KORNGROSSE

7-8

COMMENTAIRES

COMMENTS/ANMERKUNG

CONTROLE ANTI-RELAJE CONFORME

CONTROLE US CONFORME A ISO 04 25 117 B CLASSE A

DEFAUT DE SURFACE = 0.02MM

DECARR GLOBALE = 0.04MM

CERTIFICAT DE RECEPTION CONFORME EN 10204 3-1
ABNAHMEPRUFZEUGNIS NACH EN 10204 3-1
INSPECTION CERTIFICATE ACCORDING TO EN 10204 3-1

LE RESPONSABLE SPECIFICATIONS
SPEZIFIKATIONSLEITER
SPECIFICATION MANAGER

A. GENTA

Page : 2
(dernière page)

Nous certifions que les produits cités sont conformes aux prescriptions de la
communauté et respectent la directive européenne 2002/32/EU du 18 septembre 2002.
Toutes les coulées élaborées dans nos usines sont contrôlées et nous garantissons
de garantir que tous nos produits livrés présentent un niveau de radioactivité au
plus égal à la radioactivité ambiante et sont donc exempts de toute pollution.

We hereby certify that above-mentioned products comply with the order requirements
and are respectful of the European directive 2002/32/EU of 18 September 2002. All casts
products in our steel plants are inspected, enabling us to guarantee that products
supplied have a level of radioactivity not exceeding that present in the environment
and are therefore free of any radioactive contamination.

Wir bestätigen hiermit, dass die obengenannten Erzeugnisse den Bestimmungsvorschriften und der
EU-Richtlinie 2002/32/EU vom 18. September 2002 entsprechen. Alle in unseren Stahlwerken
hergestellten Schmelzen werden kontrolliert, so dass die gelieferten Produkte keine
Radioaktivität aufweisen, die höher ist als die natürliche Strahlung der Umwelt.

S.A.S au capital de 65 285 430 Euros - RCS Nanterre : B 331 048 132 Siret : 331 048 132.00020 - Code NAF : 2410Z
Siège Social : Immeuble le Colisée 8, avenue de l'Arche faubourg de l'Arche 92419 Courbevoie cedex



ATELIERS DE LA HAUTE-GARONNE

Ets AURIOL & Cie - S.A. au capital de 201850 EUR - Z.I. de FLOURENS BP73103 26 route de Lasbordes - 31130 FLOURENS (FRANCE)
Tél. (33) 5 61 83 60 35 - Fax (33) 5 61 83 95 05 - RCS TOULOUSE B 550 800 528 - SIRET 550 800 528 00014 - APE 2593Z

CERTIFICATE of CONFORMITY and TEST REPORT

DB Le 26/06/2014

ACCORDING TO NF L 00-15C AND EN10204 TYPE 3.1

Page 1/ 2

Shipment to : (or notify party) B/E BURGESS HILL CHARLES AVENUE RH15 9UF BURGESS HILL GREAT BRITAIN	Shipment number : 127696 of : 26 JUN 2014 Supplier number : Number of packaging : 2 Gross weight : 16.45 kg. Net weight : 15.45 kg.
--	---

ORDERED	PART NUMBER	SHIPPED	BALANCE
---------	-------------	---------	---------

Your P.O. Number: OXAL63 MLG3/1

N° Ack/Item: 291280/1

6100 PCE

LN9038 - 05 012

vis TH toute filetee Acier 35NC6 cadmiée 5à9µ
35NC6

5819 PCE

281 PCE

34.000 Lb. **

marked

sol.+pre.t
chamfer

roll sorting

Cadm.dichrom.coated

Technical spec : DIN65149=dia<5/LN65010>=5

Coating per : cadm. cyanide 5-9µ EN2133

Lot nb 291280 P001 F002 Qty.: 5819 PCE AHG Wire lot nb.: 204394 Material heat nb.: 065316

N° CC: A594377 NATO Cod : F0095 Origin: France Original lot control N°286367 P002- F002

Manufacture heading date: 24 DEC 2013


Material Producer : BE

Coating date : 20 JUN 2014

SUPPLIER'S INSPECTION

NAME AND FUNCTION: Gilles GUISET CTLF Chef Service Contrôle

DATE 23 JUN 2014 Computer controlled signature



En application du Règlement REACH, cet article contient du cadmium N°CAS7440-43-9 à une concentration > 0,1% en poids
In accordance with REACH Regulation, this article contain cadmium N°CAS7440-43-9 at a concentration above 0,1% mas/mas

		Mini	Maxi	Value	Unit	Test#
Adherence/Adhesion Test	Conf=0 / Non Conf=1		0.0000	0.0000		1
Decarburation depth 08-509MO	Tete sauf sous tete		0.0000	0.0000	mm.	2
	autres zones		0.0000	0.0000		
Durete/Hardness 08-146MO	Dureté/Hardness	269.0000		297.7000	HV10	5
	Dureté/Hardness	269.0000		298.7600	HV10	
	Dureté/Hardness	269.0000		297.7000	HV10	
	Dureté/Hardness	269.0000		296.1100	HV10	
	Dureté/Hardness	269.0000		297.6600	HV10	
Grain Flow conformity 08-400MO	Conforme O/N	Conf=0 & Non conf=1	0.0000	0.0000	xEp.T	2
	mesure centre/sstete	0.5000	0.6000	0.5000		
Microstructure Conformity	Conforme O/N	Conf=0 & Non conf=1	0.0000	0.0000	mm.	2
This test report shall not be reproduced, in part or in full, without the written permission of AHG.						
Any alteration, forgery or fraudulent report will be punishable by the French Law.						
Proof Load Test 08-525MO	D charge/Proof Load	950.0000		974.6855	DaN	2
Item 1	to be continued					

./..



ATELIERS DE LA HAUTE-GARONNE

Ets AURIOL & Cie - S.A. au capital de 201850 EUR - Z.I. de FLOURENS BP73103 26 route de Lasbordes - 31130 FLOURENS (FRANCE)
Tél. (33) 5 61 83 60 35 - Fax (33) 5 61 83 95 05 - RCS TOULOUSE B 550 800 528 - SIRET 550 800 528 00014 - APE 2593Z

CERTIFICATE of CONFORMITY and TEST REPORT

DB Le 26/06/2014

ACCORDING TO NF L 00-15C AND EN10204 TYPE 3.1

Page 2/ 2

Shipment number : 127696 of : 26 JUN 2014

Supplier number :

ORDERED		PART NUMBER		SHIPPED				BALANCE		
Item	1	Continuation	LN9038 - 05 012							
			D charge/Proof Load	950.0000		1003.8719		DaN		
Proof Load Test Déformat			Déformation/Set		12.5000	8.0000		µm	2	
			Déformation/Set		12.5000	8.0000		µm		
Ressuage/Fluorescent Penetrant			Conf=0 & Non conf=1		0.0000	0.0000			592	
			Nb pièces testées			592.0000				
Traction/Tensile 08-403MO			D Traction/Tensile	1280.0000		1388.6809		DaN	2	
			vitesse/load rate	12.6000	15.4000	13.6977				
			D Traction/Tensile	1280.0000		1400.6517		DaN		
			vitesse/load rate	12.6000	15.4000	13.7657				
Oblique Tensile test			D Traction/Tensile	1280.0000		1352.7701		DaN	2	
			vitesse/load rate	12.6000	15.4000	14.7048				
			D Traction/Tensile	1280.0000		1373.3473		DaN		
			vitesse/load rate	12.6000	15.4000	15.3022				
C	CR	CU	MN	NI	P	S	SI			FE
0,35800	1,00100	0,18400	0,82000	1,38900	0,01200	0,00700	0,28900			BALANCE

OUR AIRBUS SAS APPROVAL NUMBER IS : 30030 of 31 August 2007
OUR BAE SYSTEMS APPROVAL LETTER REFERENCE IS : ACO/A/LT/JJH/3035

This test report shall not be reproduced, in part or in full, without the written permission of AHG.

Any alteration, forgery or fraudulent report will be punishable by the French Law.

Parts manufactured by AHG and delivered under this CofC are DFARS compliant per DFAR 252.225-7009

We hereby declare, subject to exceptions, reservations, or concessions listed in this statement of conformity, that the listed supplies comply with the contract requirements and that, after completion of testing and verification, they satisfy in every respect all specified requirements and applicable standards and regulations.

** Estimated quantity

--- TRUE COPY CERTIFICATION ---



ATELIERS DE LA HAUTE-GARONNE

Ets AURIOL & Cie - S.A. au capital de 201850 EUR - Z.I. de FLOURENS BP73103 26 route de Lasbordes - 31130 FLOURENS (FRANCE)
Tél. (33) 5 61 83 60 35 - Fax (33) 5 61 83 95 05 - RCS TOULOUSE B 550 800 528 - SIRET 550 800 528 00014 - APE 2593Z

PACKING SLIP N° 127696

of 26/06/2014

P/ 1

DB

Supplier number :

Account N°: 8092 Represent.: 002B ANDREA GHEZZI	File N°: G 44 Coface N°	
Shipment to B/E BURGESS HILL CHARLES AVENUE	Ordered by: B/E BURGESS HILL CHARLES AVENUE	
RH15 9UF GREAT BRITAIN Tél: 0044 1444 828 000 Fax:	RH15 9UF GREAT BRITAIN Tél: 0044 1444 828 000 Fax:	
Pre-carriage by : UPS 409W09 AHG STANDARD TOULOUSE	Number of packaging : 2 Net weight : 15.455 Kg. Gross weight: 16.455 Kg.	

ORDERED	PART NUMBER	QTY.SHIP.	SCHEDULED	TO BE DELIV.
---------	-------------	-----------	-----------	--------------

AIRCRAFT PARTS		Manufactured by AHG - NATO: F0095 - Origin: FRANCE	
Your P.O.Nbr: OXAL63 MLG3/1			
Our Ack/Item: 291280/001			
6100 EA	LN9038 - 05 012	5819 EA	03 JUL 2014 281 EA
39.295 Lb.**	35NC6	34.072 Lb.**	
sol.+pre.t marked chamfer			
Cadm.dichrom.coated roll sorting vis TH toute filetee Acier 35N			

Technical spec: DIN65149=dia<5/LN65010>=5

Coating per: cadm. cyanide 5-9µ EN2133

Lot nb 291280 P 001 F002 Qty.: 5819 EA

** Estimated quantity